


DIABLO TL5 4X 14/24W GI

Highly performant light fixture destined for office and retail application. The beveled sides are the perfect counterpart of the squared and sharp light surface. The luminaire is equipped to fit T5 only or in combination with halogen lamps (Diablo dynamix). The latter allows to create depth in your lighting experience of the room. The luminaire can be mounted on the ceiling or can be suspended.


Art. Nr. 10642411

SPECIFICATIONS

Lamp	4x T16 G5 14/24W
Gear / Transfo	gear incl., electronic
Weight	12kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Efficacy	19 Lm/W



This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>




DIABLO TL5 8X 14/24W GI

Highly performant light fixture destined for office and retail application. The beveled sides are the perfect counterpart of the squared and sharp light surface. The luminaire is equipped to fit T5 only or in combination with halogen lamps (Diablo dynamix). The latter allows to create depth in your lighting experience of the room. The luminaire can be mounted on the ceiling or can be suspended.

Art. Nr. 10642011

SPECIFICATIONS

Lamp	8x T16 G5 14/24W
Gear / Transfo	gear incl., electronic
Weight	20kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Efficacy	19 Lm/W




MODULAR LIGHTING INSTRUMENTS

This luminaire is compatible with bulbs of the energy classes:

A++
A+
A
B
C
D
E

874/2012

This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>




DIABLO DYNAMIX TL5 4X 14/24W + 4X AR111 GI

Highly performant light fixture destined for office and retail application. The beveled sides are the perfect counterpart of the squared and sharp light surface. The luminaire is equipped to fit T5 only or in combination with halogen lamps (Diablo dynamix). The latter allows to create depth in your lighting experience of the room. The luminaire can be mounted on the ceiling or can be suspended.

Art. Nr. 10642311

SPECIFICATIONS

Lamp	4x T16 G5 14/24W 4x G53 (QR-LP 111) max. 50W
Gear / Transfo	transfo/gear incl., electronic
Weight	23.4kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Efficacy	19 Lm/W
Remark	! only QR-LP 111 lamps dimmable



This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>