


FLAT MOON SQUARE 635X635 DOWN TL5 GI

Flat moon square is the organic edition of Flat moon, in the shape of a rounded-off square or rectangle. Both the corners and the sides are rounded, giving a softer volume. The luminaire can be used as both an uplighter and a downlighter. Choose between suspended, surface-mounted or surface-mounted with a small space behind the fitting, to create an indirect lighting effect. Available in two versions: square or rectangular, which can be combined for a playful effect.

Art. Nr. 12700032


SPECIFICATIONS


Lamp	4x T16 G5 14/24W
Gear / Transfo	gear incl., electronic
Weight	8.2kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
CRI	85
Lumen	2086/3041 Lm
Efficacy	34/30 Lm/W
UGR	20
Remark	! suspension kit optional ! cover plate optional



This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>

black struc	12700032
white struc	12700009






FLAT MOON SQUARE 635X635 UP/DOWN TL5 GI

Flat moon square is the organic edition of Flat moon, in the shape of a rounded-off square or rectangle. Both the corners and the sides are rounded, giving a softer volume. The luminaire can be used as both an uplighter and a downlighter. Choose between suspended, surface-mounted or surface-mounted with a small space behind the fitting, to create an indirect lighting effect. Available in two versions: square or rectangular, which can be combined for a playful effect.

Art. Nr. 12700132


SPECIFICATIONS


Lamp	4x T16 G5 14/24W
Gear / Transfo	gear incl., electronic
Weight	7.1kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
CRI	85
Lumen	2812/4101 Lm
Efficacy	46/41 Lm/W
UGR	12
Remark	! suspension kit optional



This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>

black struc	12700132
white struc	12700109






FLAT MOON SQUARE 975X635 DOWN TL5 GI

Flat moon square is the organic edition of Flat moon, in the shape of a rounded-off square or rectangle. Both the corners and the sides are rounded, giving a softer volume. The luminaire can be used as both an uplighter and a downlighter. Choose between suspended, surface-mounted or surface-mounted with a small space behind the fitting, to create an indirect lighting effect. Available in two versions: square or rectangular, which can be combined for a playful effect.

Art. Nr. 12700232


SPECIFICATIONS


Lamp	4x T16 G5 21/39W
Gear / Transfo	gear incl., electronic
Weight	11.1kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
CRI	85
Lumen	3860/6298 Lm
Efficacy	41/38 Lm/W
UGR	21
Remark	! suspension kit optional ! cover plate optional



This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>

black struc	12700232
white struc	12700209






FLAT MOON SQUARE 975X635 UP/DOWN TL5 GI

Flat moon square is the organic edition of Flat moon, in the shape of a rounded-off square or rectangle. Both the corners and the sides are rounded, giving a softer volume. The luminaire can be used as both an uplighter and a downlighter. Choose between suspended, surface-mounted or surface-mounted with a small space behind the fitting, to create an indirect lighting effect. Available in two versions: square or rectangular, which can be combined for a playful effect.

Art. Nr. 12700332

SPECIFICATIONS

Lamp	4x T16 G5 21/39W
Gear / Transfo	gear incl., electronic
Weight	9.1kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	650°
CRI	85
Lumen	4452/7263 Lm
Efficacy	47/44 Lm/W
UGR	13
Remark	! suspension kit optional



This label is available in other languages:
<http://supermodular.com/assets/TYPE4.pdf>

black struc

12700332

white struc

12700309

