


U SHAPE 2X MR16 GI

Sleek spaces can be softened with rounded accents such as U shape, available with a white or black structure. Numerous versions of this lamp are available. U shape wall is an up- and downlighter with a wide or narrow beam. For ceiling mounting, you can choose from U shape with two directional spotlights or U shape suspended, a cloud-like fitting with three directional spotlights or a diffuser. Designed by Rotorgroup.

Art. Nr. 11280509

SPECIFICATIONS

Lamp	2x QR-CBC 51 Gx5.3 max. 50W
Gear / Transfo	transfo incl., electronic
Weight	2kg
Min. Distance	0.7 m
Power supply	230V
IP	IP20
Glow Wire Test	960°



MODULAR LIGHTING INSTRUMENTS

This luminaire is compatible with bulbs of the energy classes:


A++
A+
A
B
C
D
E

874/2012

This label is available in other languages:
<http://supermodular.com/assets/TYPE3.pdf>

black struc	11280532
white struc	11280509






U SHAPE SUSPENDED 3X AR111 GI

Sleek spaces can be softened with rounded accents such as U shape, available with a white or black structure. Numerous versions of this lamp are available. U shape wall is an up- and downlighter with a wide or narrow beam. For ceiling mounting, you can choose from U shape with two directional spotlights or U shape suspended, a cloud-like fitting with three directional spotlights or a diffuser. Designed by Rotogroup.

Art. Nr. 11280309

SPECIFICATIONS


Lamp	3x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo incl., electronic
Weight	5.2kg
Min. Distance	0.7 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Remark	! suspension kit included



This label is available in other languages:
<http://supermodular.com/assets/TYPE3.pdf>

black struc	11280332
white struc	11280309





U SHAPE WALL 2X LED GI

Sleek spaces can be softened with rounded accents such as U shape, available with a white or black structure. Numerous versions of this lamp are available. U shape wall is an up- and downlighter with a wide or narrow beam. For ceiling mounting, you can choose from U shape with two directional spotlights or U shape suspended, a cloud-like fitting with three directional spotlights or a diffuser. Designed by Rotorgroup.

Art. Nr. 11280609

SPECIFICATIONS

Lamp	2x high power LED 3W
Gear / Transfo	LED gear incl.
Weight	0.9kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
CRI	80

	WARM WHITE 3000K / CRI 80+	ICE WHITE 5500K / CRI 80+
	SPOT 10°	SPOT 10°
black struc	11280232	11280632
white struc	11280209	11280609

This luminaire contains built-in LED lamps.

LED

The lamps cannot be changed in the luminaire.

874/2012

