

Cupid




CUPID
DOEN
SCHIECENTRALE, ROTTERDAM (NL)


Cross-section / mounting



CUPID LATERAL WALL MOUNTED LOTIS




CUPID TL5 BAP DOWN



suspended




CUPID MR16 LC



surface (ceiling)


















CUPID SMART CAKE LED



lateral wall mounted

Cupid Components

Profile Variation >	profile alu/m cover superior alu  93370015 93370015 + 93370108* + 93370109** * base ** cover superior	Connections >	connection 180°  93370050
connection 135°  93370055	connection 90°  93370060	Endplates >	endplate  93370180 93370180 + 93370188
endplate bold black  93370181 93370181 + 93370189	endplate bold white  93370183 93370183 + 93370189	wall bracket  93400160	Fixation/ Mounting >
suspension twin 4m  min. 135 max. 4000 93000145 93000145 + 93000146	hinged suspension 4m  93000147 93009147 93000147 + 93000149	suspension set 4m  102 93000150 93000150 + 93000158	lateral wall support  147 25 93370161 93370161 + 93370162
surface fixation hole  hole ø 6.5 93000999	Electrical supply >	connection box  ø 75 20 93000151 93003351 93000951 93000151 + 93000153	flexible  ø 20 1m 93000152 /m 93000252

power feed tube 1m  ø 20 93000156 93003156 93000856 93000156 + 93000157	power feed tube/m  ø 20 93000256 93003256 93000956 93000256 + 93000157	power feed kit 2m (transparent cable) 3x 1.5mm² alu  ø 70 147 93002003 93003203 93002903 93002003 + 93002053	power feed kit 2m (transparent cable) 5x 1.5mm² alu  ø 70 147 93002005 93003205 93002905 93002005 + 93002053
connection box for transparent cable 3x 1.5mm² alu  ø 70 47 93002151 93003151 93002951 93002151 + 93002053	connection box for transparent cable 5x 1.5mm² alu  ø 70 47 93002251 93003251 93003951 93002251 + 93002053	transparent cable/m 3x 1.5mm²  93002152	transparent cable/m 5x 1.5mm²  93002252
hole for power supply  ø 14.5 93000100	new		



Cupid Linear custom made modules

LED

Smart cake LED
black structure

	2700K non-dim	2700K 1-10V/Pushdim	2700K Dali	mod / asym / sym
1x warm white	93371032			82 / 284 / 486
1x warm white		96371032		82 / 259 / 436
1x warm white			98371032	82 / 306 / 530

! 3000K, 3500K, 4000K on request

Smart cake LED
white structure

	2700K non-dim	2700K 1-10V/Pushdim	2700K Dali	mod / asym / sym
1x warm white	93371009			82 / 284 / 486
1x warm white		96371009		82 / 259 / 436
1x warm white			98371009	82 / 306 / 530

! 3000K, 3500K, 4000K on request

new eco

LED Array

Smart kup LED
black structure

	2700K non-dim	2700K 1-10V/Pushdim	2700K Dali	mod / asym / sym
1x warm white	93371032			82 / 284 / 486
1x warm white		96371032		82 / 259 / 436
1x warm white			98371032	82 / 306 / 530

! 3000K, 3500K, 4000K on request

Smart kup LED
white structure

	2700K non-dim	2700K 1-10V/Pushdim	2700K Dali	mod / asym / sym
1x warm white	93371009			82 / 284 / 486
1x warm white		96371009		82 / 259 / 436
1x warm white			98371009	82 / 306 / 530

! 3000K, 3500K, 4000K on request

new eco

LED Array

Smart lotis LED
black structure

	2700K non-dim	2700K 1-10V/Pushdim	2700K Dali	mod / asym / sym
1x warm white	93374032			82 / 284 / 486
1x warm white		96374032		82 / 259 / 436
1x warm white			98374032	82 / 306 / 530

! 3000K, 3500K, 4000K on request

Smart lotis LED
white structure

	2700K non-dim	2700K 1-10V/Pushdim	2700K Dali	mod / asym / sym
1x warm white	93374109			82 / 284 / 486
1x warm white		96374109		82 / 259 / 436
1x warm white			98374109	82 / 306 / 530

! 3000K, 3500K, 4000K on request

new eco

LED Array

Cupid Linear custom made modules

LED degree down black



	reflector	2700K non-dim	2700K 1-10V/Pushdim	2700K Dali	mod / asym / sym
1x warm white	medium	93377132	96377132	98377132	73 / 293 / 512
2x warm white	medium	93377232	96377232	98377232	146 / 366 / 585
1x warm white	flood	93377133	96377133	98377133	73 / 293 / 512
2x warm white	flood	93377233	96377233	98377233	146 / 366 / 585

! 3000K, 3500K, 4000K on request


eco ral ... + 93378051

LED Array

v -17.5°/+17.5°

h down 5


TL5 HE poly superior down



	non-dim	1-10V	DSI	Pushdim/Dali	emergency pack 3h	mod / asym / sym
2x 14W	93376514	96376514	97376514	98376514	-	635 / 690 / 745
2x 21W	93376521	96376521	97376521	98376521	93371011	935 / 990 / 1045
2x 28W	93376528	96376528	97376528	98376528	93371011	1235 / 1290 / 1345
2x 35W	93376535	96376535	97376535	98376535	93371011	1535 / 1590 / 1645

T16 G5

TL5 HO poly superior down



	non-dim	1-10V	DSI	Pushdim/Dali	emergency pack 3h	mod / asym / sym
2x 24W	93376524	96376524	97376524	98376524	-	635 / 690 / 745
2x 39W	93376539	96376539	97376539	98376539	93371012	935 / 990 / 1045
2x 54W	93376554	96376554	97376554	98376554	93371012	1235 / 1290 / 1345
2x 49W	93376549	96376549	97376549	98376549	93371012	1535 / 1590 / 1645

T16 G5

TL5 HE bap down



	non-dim	1-10V	DSI	Pushdim/Dali	emergency pack 3h	mod / asym / sym
1x 14W	93376814	96376814	97376814	98376814	-	635 / 690 / 745
1x 21W	93376821	96376821	97376821	98376821	93371011	935 / 990 / 1045
1x 28W	93376828	96376828	97376828	98376828	93371011	1235 / 1290 / 1345
1x 35W	93376835	96376835	97376835	98376835	93371011	1535 / 1590 / 1645

T16 G5

h down 8

LED

FLUORESCENT

Cupid Linear custom made modules

TL5 HO bap down



eco

	non-dim	1-10V	DSI	Pushdim/Dali	emergency pack 3h	mod / asym / sym
1x 24W	93376824	96376824	97376824	98376824	-	635 / 690 / 745
1x 39W	93376839	96376839	97376839	98376839	93371012	935 / 990 / 1045
1x 54W	93376854	96376854	97376854	98376854	93371012	1235 / 1290 / 1345
1x 49W	93376849	96376849	97376849	98376849	93371012	1535 / 1590 / 1645

T16 G5

h down 8

HALOGEN 12V

MR16 degree down black



ral ... +93378051

	Dim R, L, C	Dali	mod / asym / sym
1x 50W	93370317	98370317	75 / 255 / 440
2x 50W	93370417	98370417	150 / 330 / 510

QR-CBC 51 Gu 5.3

h 359° v -25°/+25°

MR16 LC down black



ral ... +93378051

	Dim R, L, C	Dali	mod / asym / sym
1x 50W	93370316	98370316	75 / 255 / 440
2x 50W	93370416	98370416	150 / 330 / 510

QR-CBC 51 Gu 5.3

h 359° v -25°/+25°

h down 30

HALOGEN 12V

MR16 k-1 down black



ral ... +93378051

	Dim R, L, C	Dali	mod / asym / sym
1x 50W	93370198	98370198	90 / 270 / 450
2x 50W	93370199	98370199	220 / 400 / 580

QR-CBC 51 Gu 5.3

h 359° v -17°/+17°

DISCHARGE

HIPAR-C16 degree down black



eco ral ... +93378051

	non-dim	mod / asym / sym
1x 20W	93373117	80 / 250 / 420
1x 35W	93373119	80 / 250 / 420
2x 20W	93373118	146 / 420 / 460
2x 35W	93373120	146 / 420 / 460

HIPAR-C16 Gx10

h 359° v -25°/+25°

Cupid Supplements

ral

article ral supplements

93378050 ral set up charge

ral

article supplements

93372000 suppl. extra circuit /m



CUPID
YSENBRANDT & PARTNERS / POWER CONTROL, OOSTKAMP
AUDI RAES, BRUGGE (BE)