






SL micro


















SL MICRO
PRIVATE RESIDENCE, OEKENE (BE)






Cross-section / mounting




SL micro Components

| | | | |
|---|---|--|--|
| <p>Profile Variation ></p> | <p>profile alu, poly in PMMA/m</p>  <p> <input type="checkbox"/> 93460005 <input type="checkbox"/> 93460905 <input type="checkbox"/> 93460005+93460010 </p> | <p>flange profile alu, poly in PMMA/m</p>  <p> <input type="checkbox"/> 93460025 <input type="checkbox"/> 93460925 <input type="checkbox"/> 93460025+93460030 </p> | <p>Endplates ></p> |
| <p>endplate</p>  <p> <input type="checkbox"/> 93460181 <input type="checkbox"/> 93469181 <input type="checkbox"/> 93460181+93460188 </p> | <p>endplate flange</p>  <p> <input type="checkbox"/> 93460182 <input type="checkbox"/> 93469182 <input type="checkbox"/> 93460182+93460188 </p> | <p>Connections ></p> | <p>connection 90°</p>  <p>93460060</p> |
| <p>connection 135°</p>  <p>93460055</p> | <p>connection 180°</p>  <p>93460050</p> | <p>Fixation/ Mounting ></p> | <p>trimless built-in bracket</p>  <p>93460996</p> |
| <p>suspension bracket asym</p>  <p>93460997</p> | <p>surface fixation hole</p>  <p>93460162</p> | <p>lateral wall bracket</p>  <p> <input type="checkbox"/> 93460161 <input type="checkbox"/> 93469161 <input type="checkbox"/> 93460161+93460168 </p> | <p>suspension 4m</p>  <p> <input type="checkbox"/> 93000450 <input type="checkbox"/> 93000850 <input type="checkbox"/> 93000450+93000358 </p> |
| <p>Electrical supply ></p> | <p>power feed kit 2m for LED-strip warm white (transparent cable) 3x 0.75mm² alu</p>  <p> <input type="checkbox"/> 93003003 <input type="checkbox"/> 93003903 <input type="checkbox"/> 93003003+93002053 </p> | <p>power feed kit 2m for LED-strip RGB (transparent cable) 5x 0.75mm² alu</p>  <p> <input type="checkbox"/> 93003005 <input type="checkbox"/> 93003905 <input type="checkbox"/> 93003005+93002053 </p> | <p>connection box for (transparent cable) 3x 0.75mm² alu</p>  <p> <input type="checkbox"/> 93002151 <input type="checkbox"/> 93002951 <input type="checkbox"/> 93002151 + 93002053 </p> |

| | | |
|---|--|--|
| <p>connection box for transparent cable 5x 0.75mm² alu</p>  <p> <input type="checkbox"/> 93002251 <input type="checkbox"/> 93003951 <input type="checkbox"/> 93002251 + 93002053 </p> | <p>transparent cable/m 3x 0.75mm²</p>  <p>93003152</p> | <p>transparent cable/m 5x 0.75mm²</p>  <p>93003352</p> |
|---|--|--|

SL micro Supplements


| | |
|---|---|
|  | <p>article ral supplements</p> |
| <p>93468050 ral setup charge (except white struc and black struc)</p> | |

SL micro Linear custom made modules

LED

LED-strip 700lm/m 24V GE 3000K

| | |
|---------------------|----------|
| not mounted roll 5m | 93000530 |
| mounted/m | 93000531 |
| 24V connection | 93450532 |




new eco

! order LED-strip driver separately - see p.21
! 5m roll - 24V DC - 42.5W/roll - 8.5W/m - 48LED/m - to cut every 12.4cm

LED-strip 1000lm/m 24V GE 3000K

| | |
|---------------------|----------|
| not mounted roll 5m | 93000500 |
| mounted/m | 93000501 |
| 24V connection | 93450502 |




eco

! order LED-strip driver separately - see p.21
! 5m roll - 24VDC - 70W/roll - 14W/m - 60LED/m - to cut every 10cm

Fortimo LED-strip 1ft 2000lm/m GE 3000K mod

| | | |
|-----|----------|------|
| 3x | 93463003 | 840 |
| 4x | 93463004 | 1120 |
| 5x | 93463005 | 1399 |
| 6x | 93463006 | 1679 |
| 7x | 93463007 | 1959 |
| 8x | 93463008 | 2239 |
| 9x | 93463009 | 2519 |
| 10x | 93463010 | 2798 |
| 11x | 93463011 | 3078 |
| 12x | 93463012 | 3358 |




279.2

eco

! order Fortimo LED-strip driver separately - see p.21
! 69lm/W
! 1 strip = 4.9W
! 4000K on request

LED-strip RGB 24V GE
(on request) RGB

| | |
|---------------------|----------|
| not mounted roll 5m | 93000610 |
| mounted/m | 93000611 |
| 24V connection | 93440612 |




eco

! order LED separately - see p.21
! 5m roll - 24V DC - 42.5W/roll - 8.5W/m - 36LED/m - to cut every 16.5cm

Gear for LED-strip

Remote gear for Fortimo LED-strip


| | non-dim | 1-10V | Pushdim/Dali | L | B | H |
|-----|----------|----------|--------------|-----|----|----|
| 3x | 93469103 | 96469103 | 98469103 | 640 | 40 | 30 |
| 4x | 93469104 | 96469104 | 98469104 | 640 | 40 | 30 |
| 5x | 93469105 | 96469105 | 98469105 | 640 | 40 | 30 |
| 6x | 93469106 | 96469106 | 98469106 | 640 | 40 | 30 |
| 7x | 93469107 | 96469107 | 98469107 | 640 | 40 | 30 |
| 8x | 93469108 | 96469108 | 98469108 | 640 | 40 | 30 |
| 9x | 93469109 | 96469109 | 98469109 | 640 | 40 | 30 |
| 10x | 93469110 | 96469110 | 98469110 | 640 | 40 | 30 |
| 11x | 93469111 | 96469111 | 98469111 | 640 | 40 | 30 |
| 12x | 93469112 | 96469112 | 98469112 | 640 | 40 | 30 |



! 4m cable 0.75mm² included

Surface mounted gear for Fortimo LED-strip

| | non-dim | 1-10V | Pushdim/Dali | L | B | H |
|-----|----------|----------|--------------|-----|----|----|
| 3x | 93469203 | 96469203 | 98469203 | 589 | 31 | 73 |
| 4x | 93469204 | 96469204 | 98469204 | 589 | 31 | 73 |
| 5x | 93469205 | 96469205 | 98469205 | 589 | 31 | 73 |
| 6x | 93469206 | 96469206 | 98469206 | 589 | 31 | 73 |
| 7x | 93469207 | 96469207 | 98469207 | 589 | 31 | 73 |
| 8x | 93469208 | 96469208 | 98469208 | 589 | 31 | 73 |
| 9x | 93469209 | 96469209 | 98469209 | 589 | 31 | 73 |
| 10x | 93469210 | 96469210 | 98469210 | 589 | 31 | 73 |
| 11x | 93469211 | 96469211 | 98469211 | 589 | 31 | 73 |
| 12x | 93469212 | 96469212 | 98469212 | 589 | 31 | 73 |



! 4m cable 0.75mm² included
! not to be used when profile is suspended

eco ... + 93449588

Remote gear for LED-strip

| | | non-dim | 1-10V | Pushdim | Dali | DMX | L | B | H |
|---------------------|---|----------|----------|---------|----------|----------|-----|----|----|
| 700lm/m 1000lm/m | 24V 20W | 93009510 | / | / | / | / | 150 | 37 | 25 |
| | 24V 60W | 93009530 | / | / | / | / | 241 | 43 | 30 |
| | 24V 100W | 93009540 | / | / | / | / | 241 | 43 | 30 |
| | 24V 20W | / | 96009510 | / | / | / | 146 | 55 | 19 |
| | 24V 80W | / | 96009530 | / | / | / | 250 | 50 | 34 |
| | 24V 75W | / | / | / | 98009530 | / | / | / | / |
| | 24V 100W | / | 96009540 | / | / | / | 250 | 60 | 39 |
| RGB | 24V 60W + DMX controller | / | / | / | / | 93900000 | 530 | 50 | 40 |
| | DMX controller | / | / | / | / | 93900005 | 120 | 50 | 25 |
| | to be touched RGB DMX control system | / | / | / | / | 11690109 | / | / | / |
| | to be touched power supply | / | / | / | / | 11690200 | / | / | / |

! see p.116 to determine max. distance between strip and driver
! 1 separate driver per 5m LED-strip

LED