


SL mini naked





SL MINI NAKED
SMARTSOFT (AU)

Cross-section / mounting



SL MINI NAKED
MODULAR LIGHTING NEDERLAND, AMSTELVEEN (NL)



SL MINI NAKED TL5 SLS

SL mini naked Ready made

FLUORESCENT

TL5 SLS down GI (length 1207 mm)



surface mounted	non-dim	length*
black struc (gold int.)	93430018	1207
black struc (wh. str. int.)	93430016	1207
white struc (bl. str. int.)	93430017	1207
white struc (gold int.)	93430019	1207



suspended	non-dim	length*
black struc (gold int.)	93430028	1207
black struc (wh. str. int.)	93430026	1207
white struc (bl. str. int.)	93430027	1207
white struc (gold int.)	93430029	1207




! incl. power feed kit 2m (transparent cable) & suspension set

lampinfo			
1x T16 SLS G5	28/54W	28/54W	down

eco 3.30 230V 960°C

TL5 SLS down GI (length 1793 mm)



surface mounted	non-dim	length*
black struc (gold int.)	93431018	1793
black struc (wh. str. int.)	93431016	1793
white struc (bl. str. int.)	93431017	1793
white struc (gold int.)	93431019	1793



suspended	non-dim	length*
black struc (gold int.)	93431028	1793
black struc (wh. str. int.)	93431026	1793
white struc (bl. str. int.)	93431027	1793
white struc (gold int.)	93431029	1793



! incl. power feed kit 2m (transparent cable) & suspension set

lampinfo			
2x T16 SLS G5	21/39W	21/39W	down

eco 4.56 230V 960°C

* length including endplates

READY MADE PROFILES
SHORTER LEADTIME. COST SAVING UP TO 20%*.





























*compared to linear custom made profiles



SL MINI NAKED
ARCH & TECO
PRIVATE RESIDENCE, GENT (BE)

FLUORESCENT

SL mini naked Components

<p>Profile Variation ></p>	<p>profile alu, naked alu/m</p>  <p>93430003 93430003 + 93400010* + 93430040**</p> <p>* base ** inner cover</p>	<p>profile alu, naked gold/m</p>  <p>93430004 93430004 + 93400010</p>	<p>flange profile alu, naked alu/m</p>  <p>93430023 93430023 + 93400030* + 93430040**</p> <p>* base ** inner cover</p>	<p>surface fixation hole</p>  <p>hole $\varnothing 6.5$</p> <p>93000999</p>	<p>lateral wall bracket</p>  <p>72.5 25.5</p> <p>93400161 93400961 93400161 + 93400162</p>	<p>Electrical supply ></p>	<p>connection box</p>  <p>$\varnothing 75$ 20</p> <p>93000151 93003351 93000951 93000151 + 93000153</p>
<p>flange profile alu, naked gold/m</p>  <p>93430024 93430024 + 93400030*</p> <p>* base ** inner cover</p>	<p>Connections ></p>	<p>connection 180°</p>  <p>93400050</p>	<p>connection 135°</p>  <p>93400055</p>	<p>flexible</p>  <p>$\varnothing 20$</p> <p>1m 93000152 /m 93000252</p>	<p>power feed tube 1m</p>  <p>$\varnothing 20$</p> <p>93000156 93003156 93000856 93000156 + 93000157</p>	<p>power feed tube/m</p>  <p>$\varnothing 20$</p> <p>93000256 93003256 93000956 93000256 + 93000157</p>	<p>power feed kit 2m (transparent cable) 3x 1.5mm² alu</p>  <p>$\varnothing 70$ 147</p> <p>93002003 93003203 93002903 93002003 + 93002053</p>
<p>connection 90°</p>  <p>93400060</p>	<p>Endplates ></p>	<p>endplate for naked alu</p>  <p>93430181 93430181 + 93400188* + 93400189**</p> <p>* base ** inner cover</p>	<p>endplate for naked gold</p>  <p>93430182 93430182 + 93400188</p>	<p>power feed kit 2m (transparent cable) 5x 1.5mm² alu</p>  <p>$\varnothing 70$ 147</p> <p>93002005 93003205 93002905 93002005 + 93002053</p>	<p>connection box for transparent cable 3x 1.5mm² alu</p>  <p>$\varnothing 70$ 47</p> <p>93002151 93003151 93002951 93002151 + 93002053</p>	<p>connection box for transparent cable 5x 1.5mm² alu</p>  <p>$\varnothing 70$ 47</p> <p>93002251 93003251 93003951 93002251 + 93002053</p>	<p>transparent cable/m 3x1.5mm²</p>  <p>93002152</p>
<p>endplate flange for naked alu</p>  <p>93430183 93430183 + 93400188* + 93400189**</p> <p>* base ** inner cover</p>	<p>endplate flange for naked gold</p>  <p>93430184 93430184 + 93400188</p>	<p>Fixation/ Mounting ></p>	<p>hinged suspension 4m</p>  <p>93000147 93000947 93000147 + 93000149</p>	<p>transparent cable/m 5x1.5mm²</p>  <p>93002252</p>			
<p>suspension 4m</p>  <p>93000350 93000950 93000350 + 93000158</p>	<p>suspension bracket small</p>  <p>93400998 ! not for flange profile</p>	<p>suspension bracket large</p>  <p>93400999</p>	<p>trimless bracket</p>  <p>93400997 ! not for TL5 14/24W new</p>				

SL mini naked Linear custom made modules

LED

LED high power unit naked down



	3000K non-dim	mod/asym/sym
1x 1W	93400605	55/129/203
2x 1W	93400615	77/205/333

LED h 355° v -55/+55° h down 13

FLUORESCENT

TL5 SLS naked down



	non-dim	1-10V	Pushdim/Dali	emergency pack 3h	mod/asym/sym
1x 14/24W*	93436124	96436124	98436124	-	584/584/584
1x 21/39W	93436139	96436139	98436139	-	884/884/884
1x 28/54W	93436154	96436154	98436154	-	1184/1184/1184
2x 14/24W*	93436224	96436224	98436224	-	1168/1168/1168
2x 21/39W	93436239	96436239	98436239	-	1768/1768/1768
2x 28/54W	93436254	96436254	98436254	93401112	2368/2368/2368

! mix of different wattage in the same installation is not allowed due to different luminance

T16 SLS G5

* only for 14W dimmable

SL mini naked Supplements



article **ral supplements**
93408050 ral set up charge



article **supplements**
93402000 suppl. extra circuit /m



SL MINI NAKED TL5 SLS (SEAMLESS)

