


## CHAPEAU 206 FOR LED PAR30S

We should take our hats off to this fitting. Chapeau looks like Robin Hood's hat on the inside, hence the name. Chapeau's big innovation lies in the tilting system. When fully folded up in its shell, Chapeau is a downlighter, and you can see a glimpse of the rim of its bulb holder. However, the bulb holder can also be tilted to produce a clever wash effect on the walls. Available for full recessed mounting or for recessed mounting with a rim, which creates a beautiful contrast on the ceiling. Designed by Couvreur & Devos. Won a Good Design Award in 2012.

Art. Nr. 11910309

### SPECIFICATIONS

Lamp	1x LED PAR30s E27 12W
Gear / Transfo	transfo/gear not required
Cut-out size	ø 194 h 162
Weight	1.9kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
CRI	80
Lumen	803 Lm
Efficacy	67 Lm/W
UGR	18
Remark	! please consult installation sheet for appropriate lamp





black struc

11910332

white struc

11910309





## CHAPEAU 206 LED GE



We should take our hats off to this fitting. Chapeau looks like Robin Hood's hat on the inside, hence the name. Chapeau's big innovation lies in the tilting system. When fully folded up in its shell, Chapeau is a downlighter, and you can see a glimpse of the rim of its bulb holder. However, the bulb holder can also be tilted to produce a clever wash effect on the walls. Available for full recessed mounting or for recessed mounting with a rim, which creates a beautiful contrast on the ceiling. Designed by Couvreur & Devos. Won a Good Design Award in 2012.


Art. Nr. 11900109

## SPECIFICATIONS

Lamp	1x LED Array 10.5W
Gear / Transfo	LED gear not incl.
Cut-out size	ø 194 h 162
Weight	1.9kg
Min. Distance	0.1 m
Power supply	500mA
IP	IP20
Glow Wire Test	960°
Source lifetime	50000 hrs
CRI	92
Lumen	856 Lm
Efficacy	82 Lm/W
UGR	17

	WARM WHITE 2700K / CRI 92+	NEUTRAL WHITE 4000K / CRI 82+
	MEDIUM 25°	MEDIUM 25°
black struc	11900132	11900432
white struc	<b>11900109</b>	11900409






## CHAPEAU TRIMLESS 222 FOR LED PAR30S

We should take our hats off to this fitting. Chapeau looks like Robin Hood's hat on the inside, hence the name. Chapeau's big innovation lies in the tilting system. When fully folded up in its shell, Chapeau is a downlighter, and you can see a glimpse of the rim of its bulb holder. However, the bulb holder can also be tilted to produce a clever wash effect on the walls. Available for full recessed mounting or for recessed mounting with a rim, which creates a beautiful contrast on the ceiling. Designed by Couvreur & Devos. Won a Good Design Award in 2012.


Art. Nr. 11980309


### SPECIFICATIONS

Lamp	1x LED PAR30s E27 12W
Gear / Transfo	transfo/gear not required
Cut-out size	Ø 223 h 175
Weight	2.1kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
CRI	80
Lumen	803 Lm
Efficacy	67 Lm/W
UGR	18
Remark	! recessed ring included ! please consult installation sheet for appropriate lamp



black struc	11980332
white struc	11980309






## CHAPEAU TRIMLESS 222 LED GE

We should take our hats off to this fitting. Chapeau looks like Robin Hood's hat on the inside, hence the name. Chapeau's big innovation lies in the tilting system. When fully folded up in its shell, Chapeau is a downlighter, and you can see a glimpse of the rim of its bulb holder. However, the bulb holder can also be tilted to produce a clever wash effect on the walls. Available for full recessed mounting or for recessed mounting with a rim, which creates a beautiful contrast on the ceiling. Designed by Couvreur & Devos. Won a Good Design Award in 2012.

Art. Nr. 11970109

### SPECIFICATIONS

Lamp	1x LED Array 10.5W
Gear / Transfo	LED gear not incl.
Cut-out size	Ø 223 h 175
Weight	2.1kg
Min. Distance	0.1 m
Power supply	500mA
IP	IP20
Glow Wire Test	960°
Source lifetime	50000 hrs
CRI	92
Lumen	856 Lm
Efficacy	82 Lm/W
UGR	17
Remark	! recessed ring included



	WARM WHITE 2700K / CRI 92+	NEUTRAL WHITE 4000K / CRI 82+
	MEDIUM 25°	MEDIUM 25°
black struc	11970132	11970432
white struc	<b>11970109</b>	11970409

