


FLUSH DYNAMIX 1X TL5C + 1X AR111 GI

Flush dynamix allows you to adorn the ceiling with flexible light boxes. The fitting, based on Flush gate, comes in a square or rectangular version and has round fluorescent lights beneath a polycarbonate panel, ensuring a functional and diffused effect. The fitting also has recessed, directional and visible halogen spotlights, making it possible to accent certain areas in your room and creating a warmer lighting effect. Available with one, two or four spotlights.

Art. Nr. 10900101

SPECIFICATIONS


Lamp	1x T16-R 2Gx13 22W 1x G53 (QR-LP 111) 35W
Gear / Transfo	transfo/gear incl., electronic
Cut-out size	l 256 w 256 h 250
Weight	2kg
Min. Distance	0.5 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Remark	! only QR-LP lamp dimmable ! recessed frame included



opal

10900101






FLUSH DYNAMIX 2X TL5C + 2X AR111 GI

Flush dynamix allows you to adorn the ceiling with flexible light boxes. The fitting, based on Flush gate, comes in a square or rectangular version and has round fluorescent lights beneath a polycarbonate panel, ensuring a functional and diffused effect. The fitting also has recessed, directional and visible halogen spotlights, making it possible to accent certain areas in your room and creating a warmer lighting effect. Available with one, two or four spotlights.

Art. Nr. 10900201

SPECIFICATIONS


Lamp	2x T16-R 2Gx13 22W 2x G53 (QR-LP 111) 35W
Gear / Transfo	transfo/gear incl., electronic
Cut-out size	l 507 w 256 h 250
Weight	3.1kg
Min. Distance	0.7 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Remark	! only QR-LP lamp dimmable ! recessed frame included



opal

10900201






FLUSH DYNAMIX 4X TL5C + 4X AR111 GI

Flush dynamix allows you to adorn the ceiling with flexible light boxes. The fitting, based on Flush gate, comes in a square or rectangular version and has round fluorescent lights beneath a polycarbonate panel, ensuring a functional and diffused effect. The fitting also has recessed, directional and visible halogen spotlights, making it possible to accent certain areas in your room and creating a warmer lighting effect. Available with one, two or four spotlights.

Art. Nr. 10900401

SPECIFICATIONS

Lamp	4x T16-R 2Gx13 22W 4x G53 (QR-LP 111) 35W
Gear / Transfo	transfo/gear incl., electronic
Cut-out size	l 507 w 507 h 250
Weight	4.12kg
Min. Distance	1.0 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Remark	! only QR-LP lamp dimmable ! recessed frame included



opal

10900401

