

**KURK 178 IP40 LED GE**

After Scotty and Spock, we now have Kurk, another new resident in the LED disc fittings universe. Kurk's unique, luminous LED disc is a little simpler than that of its brothers. There are eight integrated lighting points which combine into one homogeneous beam. Its extremely low mounting height makes it very easy to install. Kurk Surface is the mounted model in the family, which allows you to play with black and white contrasts.

Art. Nr. 12633009

**SPECIFICATIONS**

Lamp	1x LED disc 13W
Gear / Transfo	LED gear not incl.
Cut-out size	ø 168 h 50 (non trimless) ø 186 h 70 (trimless)
Weight	0.8kg
Min. Distance	0.1 m
Power supply	700mA/18V
IP	IP20
Glow Wire Test	960°
Source lifetime	35000 hrs
CRI	85
Lumen	527 Lm
UGR	22

	WARM WHITE 2700K / CRI 85+
	FLOOD 45°
black struc	12633032
white struc	<b>12633009</b>

MODULAR LIGHTING INSTRUMENTS

This luminaire contains built-in LED lamps.

A++  
A+  
A  
B  
C  
D  
E


LED

The lamps cannot be changed in the luminaire.

874/2012



Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on [www.supermodular.com](http://www.supermodular.com).



### KURK 178 IP40 LED 1-10V/PUSHDIM RG


After Scotty and Spock, we now have Kurk, another new resident in the LED disc fittings universe. Kurk's unique, luminous LED disc is a little simpler than that of its brothers. There are eight integrated lighting points which combine into one homogeneous beam. Its extremely low mounting height makes it very easy to install. Kurk Surface is the mounted model in the family, which allows you to play with black and white contrasts.


Art. Nr. 12631009

### SPECIFICATIONS

Lamp	1x LED disc 13W
Gear / Transfo	LED gear incl.
Cut-out size	ø 168 h 50 (non trimless) ø 186 h 70 (trimless)
Weight	0.8kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Source lifetime	35000 hrs
CRI	85
Lumen	527 Lm
UGR	22

	WARM WHITE 2700K / CRI 85+	WARM WHITE 2700K / CRI 82+
	FLOOD 45°	FLOOD 45°
black struc	12631032	
white struc	12631009	





## KURK 178 IP40 LED DALI RG


After Scotty and Spock, we now have Kurk, another new resident in the LED disc fittings universe. Kurk's unique, luminous LED disc is a little simpler than that of its brothers. There are eight integrated lighting points which combine into one homogeneous beam. Its extremely low mounting height makes it very easy to install. Kurk Surface is the mounted model in the family, which allows you to play with black and white contrasts.


Art. Nr. 12632009

### SPECIFICATIONS

Lamp	1x LED disc 13W
Gear / Transfo	LED gear incl.
Cut-out size	ø 168 h 50 (non trimless) ø 186 h 70 (trimless)
Weight	0.8kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Source lifetime	35000 hrs
CRI	85
Lumen	527 Lm
UGR	22

	WARM WHITE 2700K / CRI 85+
	FLOOD 45°
black struc	12632032
white struc	12632009





**KURK 178 IP40 LED RG**

After Scotty and Spock, we now have Kurk, another new resident in the LED disc fittings universe. Kurk's unique, luminous LED disc is a little simpler than that of its brothers. There are eight integrated lighting points which combine into one homogeneous beam. Its extremely low mounting height makes it very easy to install. Kurk Surface is the mounted model in the family, which allows you to play with black and white contrasts.

Art. Nr. 12630009

**SPECIFICATIONS**

Lamp	1x LED disc 13W
Gear / Transfo	LED gear incl.
Cut-out size	ø 168 h 50 (non trimless) ø 186 h 70 (trimless)
Weight	0.8kg
Min. Distance	0.1 m
Power supply	230V
IP	IP20
Glow Wire Test	960°
Source lifetime	35000 hrs
CRI	85
Lumen	527 Lm
UGR	22

	WARM WHITE 2700K / CRI 85+
	FLOOD 45°
black struc	12630032
white struc	12630009

**MODULAR**  
LIGHTING INSTRUMENTS

This luminaire contains built-in LED lamps.

**A++**  
**A+**  
**A**  
**B**  
**C**  
**D**  
**E**

LED

The lamps cannot be changed in the luminaire.

874/2012



Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on [www.supermodular.com](http://www.supermodular.com).