


MINI MULTIPLE FOR SMART RINGS 1X LED GE


Art. Nr. 12520005

SPECIFICATIONS


Lamp	1x LED Array 10.5W
Gear / Transfo	LED gear not incl.
Cut-out size	l 110 w 110 h 130
Weight	0.69kg
Min. Distance	0.1 m
Power supply	500mA
IP	IP20
Glow Wire Test	960°
Source lifetime	50000 hrs
CRI	92
Remark	! to be combined with Smart frontrings



	WARM WHITE 2700K / CRI 92+	NEUTRAL WHITE 4000K / CRI 82+
alu-black	12520005	12520105
complete white struc	12520009	12520109
white struc-black	12520029	12520129



MINI MULTIPLE FOR SMART RINGS




MINI MULTIPLE FOR SMART RINGS 2X LED GE


Art. Nr. 12521005

SPECIFICATIONS


Lamp	2x LED Array 10.5W
Gear / Transfo	LED gear not incl.
Cut-out size	l 210 w 110 h 130
Weight	1.14kg
Min. Distance	0.1 m
Power supply	500mA
IP	IP20
Glow Wire Test	960°
Source lifetime	50000 hrs
CRI	92
Remark	! to be combined with Smart frontrings




This luminaire contains built-in LED lamps.




The lamps cannot be changed in the luminaire.

874/2012 

	WARM WHITE 2700K / CRI 92+	NEUTRAL WHITE 4000K / CRI 82+
alu-black	12521005	12521105
complete white struc	12521009	12521109
white struc-black	12521029	12521129



MINI MULTIPLE FOR SMART RINGS




MINI MULTIPLE FOR SMART RINGS 3X LED GE


Art. Nr. 12522009

SPECIFICATIONS


Lamp	3x LED Array 10.5W
Gear / Transfo	LED gear not incl.
Cut-out size	l 315 w 110 h 130
Weight	1.59kg
Min. Distance	0.1 m
Power supply	500mA
IP	IP20
Glow Wire Test	960°
Source lifetime	50000 hrs
CRI	92
Remark	! to be combined with Smart frontrings




This luminaire contains built-in LED lamps.




The lamps cannot be changed in the luminaire.

874/2012 

	WARM WHITE 2700K / CRI 92+	NEUTRAL WHITE 4000K / CRI 82+
alu-black	12522005	12522105
complete white struc	12522009	12522109
white struc-black	12522029	12522129






MINI MULTIPLE FOR SMART RINGS 4X LED GE

Art. Nr. 12523005

SPECIFICATIONS

Lamp	4x LED Array 10.5W
Gear / Transfo	LED gear not incl.
Cut-out size	l 210 w 210 h 160
Weight	1.93kg
Min. Distance	0.1 m
Power supply	500mA
IP	IP20
Glow Wire Test	960°
Source lifetime	50000 hrs
CRI	92
Remark	! to be combined with Smart frontrings



	WARM WHITE 2700K / CRI 92+	NEUTRAL WHITE 4000K / CRI 82+
alu-black	12523005	12523105
complete white struc	12523009	12523109
white struc-black	12523029	12523129

