


MULTIPLE 1X AR111 GE

Twenty years after its initial launch, Multiple is still a coveted luminaire. The technology is on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. A unique feature by Modular. Multiple can be installed recessed or surface mounted. The 'AR111' recessed variants can also be combined with the new M-LED 111.

Art. Nr. 10350105

SPECIFICATIONS


Lamp	1x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	l 180 w 170 h 110
Weight	1.24kg
Min. Distance	0.5 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
CRI	100
Lumen	540 Lm
Efficacy	11 Lm/W
UGR	10
Remark	! compatible with LED module AR111



This label is available in other languages:
<http://supermodular.com/assets/TYPE3.pdf>

alu-black	10350105
complete white struc	10350109
white struc-black	10350129






MULTIPLE 1X CDM-T GE

Twenty years after its initial launch, Multiple is still a coveted fitting. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this fitting to fit well into both a minimalist and an industrial-chic environment. The gimballed system allows you to direct the light source at any angle of your choice. Available in a recessed version (Multiple trimless) or for surface mounting in a sleek aluminium housing (Multiple surface). Mini-multiple is a smaller recessed version, which is available trimless or with a trim.


Art. Nr. 10352605


SPECIFICATIONS

Lamp	1x HIT-CE G12 max. 70W
Gear / Transfo	gear not incl.
Cut-out size	l 180 w 170 h 220
Weight	2.1kg
Min. Distance	0.5 m
Power supply	4-5kV
IP	IP20
Glow Wire Test	960°
CRI	87
Lumen	5016 Lm
Efficacy	72 Lm/W
UGR	20
Remark	! spot / flood reflector optional



	MEDIUM
alu-black	10352605
complete white struc	10352609






MULTIPLE 2X AR111 GE

Twenty years after its initial launch, Multiple is still a coveted luminaire. The technology is on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. A unique feature by Modular. Multiple can be installed recessed or surface mounted. The 'AR111' recessed variants can also be combined with the new M-LED 111.

Art. Nr. 10350205

SPECIFICATIONS


Lamp	2x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	l 325 w 170 h 110
Weight	2.13kg
Min. Distance	0.7 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
CRI	100
Lumen	1080 Lm
Efficacy	11 Lm/W
UGR	10
Remark	! compatible with LED module AR111



This label is available in other languages:
<http://supermodular.com/assets/TYPE3.pdf>

alu-black	10350205
complete white struc	10350209
white struc-black	10350229






MULTIPLE 2X CDM-T GE

Twenty years after its initial launch, Multiple is still a coveted fitting. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this fitting to fit well into both a minimalist and an industrial-chic environment. The gimballed system allows you to direct the light source at any angle of your choice. Available in a recessed version (Multiple trimless) or for surface mounting in a sleek aluminium housing (Multiple surface). Mini-multiple is a smaller recessed version, which is available trimless or with a trim.


Art. Nr. 10352705


SPECIFICATIONS

Lamp	2x HIT-CE G12 max. 70W
Gear / Transfo	gear not incl.
Cut-out size	l 325 w 170 h 220
Weight	3.65kg
Min. Distance	1.0 m
Power supply	4-5kV
IP	IP20
Glow Wire Test	960°
CRI	87
Lumen	10032 Lm
Efficacy	72 Lm/W
UGR	20
Remark	! spot / flood reflector optional



	MEDIUM
alu-black	10352705
complete white struc	10352709






MULTIPLE 3X AR111 GE

Twenty years after its initial launch, Multiple is still a coveted luminaire. The technology is on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. A unique feature by Modular. Multiple can be installed recessed or surface mounted. The 'AR111' recessed variants can also be combined with the new M-LED 111.

Art. Nr. 10350305

SPECIFICATIONS


Lamp	3x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	l 470 w 170 h 110
Weight	3kg
Min. Distance	0.7 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
CRI	100
Lumen	1620 Lm
Efficacy	11 Lm/W
UGR	10
Remark	! compatible with LED module AR111



This label is available in other languages:
<http://supermodular.com/assets/TYPE3.pdf>

alu-black	10350305
complete white struc	10350309
white struc-black	10350329






MULTIPLE 3X CDM-R111 GE

Twenty years after its initial launch, Multiple is still a coveted fitting. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this fitting to fit well into both a minimalist and an industrial-chic environment. The gimballed system allows you to direct the light source at any angle of your choice. Available in a recessed version (Multiple trimless) or for surface mounting in a sleek aluminium housing (Multiple surface). Mini-multiple is a smaller recessed version, which is available trimless or with a trim.

Art. Nr. 10355305


SPECIFICATIONS


Lamp	3x HIPAR 111 Gx8.5 70W
Gear / Transfo	gear not incl.
Cut-out size	l 470 w 170 h 220
Weight	4.55kg
Min. Distance	0.7 m
Power supply	4-5kV
IP	IP20
Glow Wire Test	960°
CRI	85
Lumen	8550 Lm
Efficacy	41 Lm/W
UGR	11



alu-black
complete white struc

10355305
10355309






MULTIPLE 4X AR111 GE

Twenty years after its initial launch, Multiple is still a coveted luminaire. The technology is on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. A unique feature by Modular. Multiple can be installed recessed or surface mounted. The 'AR111' recessed variants can also be combined with the new M-LED 111.

Art. Nr. 10350405

SPECIFICATIONS

Lamp	4x QR-LP 111 G53 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	l 325 w 325 h 110
Weight	3.9kg
Min. Distance	1.0 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
CRI	100
Lumen	2160 Lm
Efficacy	11 Lm/W
UGR	10
Remark	! compatible with LED module AR111



This label is available in other languages:
<http://supermodular.com/assets/TYPE3.pdf>

alu-black	10350405
complete white struc	10350409
white struc-black	10350429

