


# FLOS

## HIDE L

<b>Mounting</b>	Wall
<b>Lamps description</b>	FLAT PANEL 3000K 1800lm CRI80 - 25W
<b>Environment</b>	Indoor
<b>Finish</b>	Anodized, White, Bronze, Customizable, Black, Wood
<b>Technical description</b>	Indirect-light wall lamp. Body in pressofused aluminium, with shiny finish. Injection printed diffuser in photo-engraved PMMA. Enhancer friezes available in various versions: coloured PMMA, panels with a choice between noble wood, metal or photographic images. Injection printed wall attachment in PA66. Power pack built into the wall attachment. Lighting is by means of a specially designed Light Guide, providing an optimally oriented light flow that affords unrivalled lighting comfort. The efficiency of this innovative lighting system, of 98%, means that the LEDs can be used at full power with no significant energy loss



### Hide L

designed by Philippe Starck

Indirect-light wall lamp.

- F0021009 White
- F0021030 Black

### DIMENSIONS




### ELECTRICAL


**Emergency** Without

### PHYSICAL

**Supply** Terminal block  
**Construction material** Aluminum, PMMA  
**Weight (kg)** 1.7



### CERTIFICATIONS



## Hide L .Accessories

Optical



DO YOURSELF



F0022000

**Frieze customizable finish**




F0022046

**Frieze bronze finish**



F0022054

**Frieze anodized finish**



### Hide L

designed by Philippe Starck

Indirect-light wall lamp.

● F0021009 White

● F0021030 Black


### DIMENSIONS




F0022068

**Frieze wood finish**

### CERTIFICATIONS



## Hide L . Lamps



**FLAT PANEL 3000K**  
**1800lm CRI80 - 25W**

**Lamp Watt:**  
25 W

**Lamp category:**  
LED

**Color temperature (K):**  
3000 °K

**Lamp type:**  
FLAT PANEL



### Hide L

designed by Philippe Starck

Indirect-light wall lamp.

- F0021009 White
- F0021030 Black

### DIMENSIONS



### CERTIFICATIONS

